

INDEX TO VOLUME XXXVII¹

INDEX TO AUTHORS AND TITLES

- Ajello, Libero.** *Phlyctochytrium Aureliae* parasitized by *Rhizophydium chytriphagum* 109; A simple method for preparing corn meal agar 636
- Alexander, Dorothy Fennell & Raper, Kenneth Bryan.** Preservation of molds by lyophil process 499
- Ames, Lawrence Marion & Greathouse, Glenn Arthur.** Fabric deterioration by thirteen described and three new species of *Chaetomium* 138
- Asmous, Vladimir Constantine.** Prof. V. A. Tranzschel, 1868-1942 271
- Baker, Gladys Elizabeth.** Conidium formation in species of *Aspergilli* 582
- Barnett, Horace Leslie.** Notes on the culture of *Coprinus asterophorus* 194
- Bartsch, Alfred Frank.** The significance of zygospore character in *Polyphagus Euglenae* 553
- Burlingham, Gertrude Simmons.** Noteworthy species of *Lepiota* and *Lactaria* 53
- Carvajal, Fernando.** The relation between *Vermicularia graminicola* West. reported on sugarcane and *Physalospora tucumanensis* Speg. 637
- Cash, Edith Katherine.** Some new species of fungi on *Libocedrus* 311
- & **Limber, Donald Philips.** *Actinopelte dryina* 129
- Coker, William Chambers.** A new species of *Lysurus* 781
- Cook, Melville Thurston.** Species of *Synchytrium* in Louisiana. I. Descriptions of species found in the vicinity of Baton Rouge 284; Species of *Synchytrium* in Louisiana. II. Species of Louisiana *Synchytrium* 571; Species of synchytrium in Louisiana. III. The development and structure of the galls 715
- Couch, John Nathaniel.** Observations on the genus *Catenaria* 163; Wolf's aquatic Oomycetes of Wisconsin 793; Karling's Simple holocarpic biflagellate Phycomycetes 794
- Crandall, Bowen Sinclair.** A new species of *Cephalosporium* causing persimmon wilt 495
- Cummins, George Baker.** Additions to the Uredinales reported for Peru 609
- Dennison, Mary Louise.** The genus *Lamproderma* and its relationships. I. 80. The genus *Lamproderma* and its relationships. II. 197
- Dodge, Bernard Ogilvie.** Some remarks on mycogenetic terminology 360; Further remarks on mycogenetic terminology 629; Further remarks on mycogenetic terminology 784
- Drechsler, Charles.** Several additional Phycomycetes subsisting on nematodes and *Amoebae* 1
- Ellis, Don Edwin & Gill, Lake Shore.** A new *Rhabdogloeum* associated with *Rhabdocline Pseudotsugae* in the southwest 326
- Ellison, Bernard Robison.** Flagellar studies on zoospores of some members of the Mycetozoa, Plasmodiophorales, and Chytridiales 444

¹ This index was prepared by Jean N. Zodda.

- Fawcett, Howard Samuel.** William Titus Horne 157
- Fischer, George William & Hirschhorn, Elisa.** A critical study of some species of *Ustilago* causing stem smut on various grasses 236; Observations on certain species of *Ustilago* on *Hilaria*, *Stenotaphrum*, and *Muhlenbergia* 318
- Fitzpatrick, Harry Morton.** Herbert Hice Whetzel 393
- Garces-Oresuela, Carlos.** A correction (*Meliola obtusa*) 389
- Gill, Lake Shore & Ellis, Don Edwin.** A new *Rhabdogloeum* associated with *Rhabdocline Pseudotsugae* in the southwest 326
- Greathouse, Glenn Arthur & Ames, Lawrence Marion.** Fabric deterioration by thirteen described and three new species of *Chaetomium* 138
- Hardison, John Robert.** A leaf spot of tall fescue caused by a new species of *Cercospora* 492
- Hirschhorn, Elisa.** A cytologic study of several smut fungi 217; Two new species of the Tilletiaceae from Argentina 278
- & **Fischer, George William.** A critical study of some species of *Ustilago* causing stem smut on various grasses 236; Observations on certain species of *Ustilago* on *Hilaria*, *Stenotaphrum*, and *Muhlenbergia* 318
- Hyland, Fay.** Giant puffball in Maine 156
- Imle, Ernest Paul & Stevenson, John Albert.** *Periconia* blight of *Hevea* 576
- Johnson, Aaron Guy & Sprague, Roderick.** *Selenophoma* on grasses. II. 638
- Lefebvre, Camille Leon & Stevenson, John Albert.** The fungus causing zonate leafspot of cowpea 37
- Limber, Donald Phillips & Cash, Edith Katherine.** *Actinopelte dryina* 129
- Lindgren, Carl Clarence.** An analysis of the mechanism of budding in yeasts and some observations on the structure of the yeast cell 767
- Long, William Henry.** Studies in the Gasteromycetes XI. The genera *Trichaster* and *Terrostella* 601
- & **Miller, Vera Mentzer.** A new desert *Coprinus* 120
- Martin, George Willard.** The classification of the Tremellales 527
- Miller, Vera Mentzer & Long, William Henry.** A new desert *Coprinus* 120
- Morse, Elizabeth Eaton.** Some western Discomycetes, *Gyromitra esculenta*, *Helvella lacunosa* 415
- Mundkur, Bhalchendra Bhavanishankar & Thirumalacher, Mandayam Jeersannidhi.** Two new genera of rusts on Bignoniaceae 619
- Murrill, William Alphonso.** *Hydnum floriforme* in Florida 156; A new polypore from Utah 157; Cylindric spores in *Amanita* 159; Apparent allies of *Amanita verna* 270; Common names may be highly important 636; *Boletus tabacinus* Peck 794; *Fistulina* in Florida 793; *Abortiporus subabortivus* Murr. is valid 793
- Olive, Lindsay Shepherd.** A new *Dacrymyces*-like parasite of *Arundinaria* 546
- Raper, Kenneth Bryan & Alexander, Dorothy F.** Preservation of molds by lyophil process 499
- Rhoads, Arthur Stevens.** A comparative study of two closely related root-rot fungi, *Clitocybe tabescens* and *Armillaria mellea* 741
- Seaver, Fred Jay.** Photographs and descriptions of cup-fungi. XXXIX. A new *Helotium* 267; Arthur Henry Reginald Buller 275; Photographs and descriptions of cup-fungi. XXXIX. The genus *Godronia* and its allies 333; Pathology in forest practice 390; Mrs. G. Miller 390; *Sclerotinia*

- bifrons* 641; Mycologia's New Editor-in-Chief 792; A manual of soil fungi 792
- Sinden, James Whaples, Waterston, John MacLaren & Whetzel, Herbert Hice. Notes on the Geoglossaceae of Bermuda 32
- Singer, Rolf. New and interesting species of Basidiomycetes 425; New Bolataceae from Florida (a preliminary communication) 797
- , Snell, Walter Henry & White, William Lawrence. The taxonomic position of *Polyporoletus sublividus* 124
- Smith, Alexander Hanchett. *Volvaria bombycina* 440
- Snell, Walter Henry. Notes on the pileate hydnums 46; Notes on boletes. VII. 374
- , White, William Lawrence & Singer, Rolf. The taxonomic position of *Polyporoletus sublividus* 124
- Sprague, Roderick & Johnson, Aaron Guy. *Selenophoma* on grasses. II. 638
- Springer, Martha Edith. Two new species of *Monoblepharella* 205
- Stevens, Neil Everett. David Gruby and the Centenary of medical mycology, 1841–1941 158
- Stevenson, John Albert & Imle, Ernest Paul. *Periconia* blight of *Hevea* 576
- & Lefebvre, Camille Leon. The fungus causing zonate leafspot of cowpea 37
- Thirumalachar, Mandayam Jeersannidhi. Some noteworthy rusts. I. 295
- & Mundkur, Bhalchendra Bhavanishankar. Two new genera of rusts on Bignoniaceae 619
- Thom, Charles. Mycology presents penicillin 460
- Torrey, George Safford. Two orthographic errors in fungous names 160
- Waterston, John MacLaren, Sinden, James Whaples & Whetzel, Herbert Hice. Notes on the Geoglossaceae of Bermuda 32
- West, Erdman. Notes on Florida fungi. III. 65
- Whetzel, Herbert Hice. A synopsis of the genera and species of the Sclerotiniaceae, a family of stromatic Inoperculate Discomycetes 648
- , Waterston, John MacLaren & Sinden, James Whaples. Notes on the Geoglossaceae of Bermuda 32
- & Wolf, Frederick Adolph. The cup fungus, *Ciboria carunculoides*, pathogenic on mulberry fruits 476
- White, William Lawrence, Singer, Rolf & Snell, Walter Henry. The taxonomic position of *Polyporoletus sublividus* 124
- Wolf, Frederick Adolph. The production of a penicillin-like factor by Dermatophytes 796
- & Whetzel, Herbert Hice. The cup fungus, *Ciboria carunculoides*, pathogenic on mulberry fruits 476
- Zeller, Sanford Myron. A new name 636
- Zundel, George Lorenzo. Notes on a proposed new genus and four new species of the Ustilaginales 370; A change in generic name 795

INDEX TO GENERA AND SPECIES

New names and the final members of new combinations are in **bold face type**. Mistakes in the spelling of scientific names encountered in the text are corrected in the index.

- Abortiporus subabortivus 793
 Absidia coerulea 513
 Acanthostigma occidentale 40
 Acaulopage 18; ceratospora 18; **di-**
 chotoma 19, 20, 27, 31; macrospora
 18; marantica 13; tetraceros 18, 19
Acerulopora 299; **Ichnocarp** 296,
 300, 309
 Achlya 189, 634, 791; ambisexualis
 634, 791; bisexualis 634; caroliniana
 164
 Achlygeton 188
 Achrotelium 296, 298; **Ichnocarp**
 298; **Lucumae** 298
 Actinomyces bovis 460
 Actinopelte 130, 132, 135-137; ameri-
 cana 130, 131, 133; dryina 130-133,
 136; japonica 130-133
 Actinothyrium 135, 136; gloeospo-
 roides 132, 133; graminis 132
 Aecidium 610; Blepharidis 304; Cy-
 rillae 70; Fuchsiae 609; **mitoense**
 609
 Agaricus alaphitophyllus 436; apalo-
 sarcus 437; bombycinus 440; Can-
 narii 436; cheimonophyllus 437;
 cubensis 437; euphyllus 437; leuco-
 conis 436; Magisterium 437; mono-
 delphus 742; platensis 437; rhodo-
 conis 436; tabescens 741
 Allomyces 160, 163, 164, 170, 171,
 173, 189, 192; anomalus 163, 164,
 173, 174, 189-192; arbuscula 160,
 164, 165; cystogenus 173, 189, 190;
 javanicus 164, 173; moniliformis
 164, 189, 191
 Amanita 159; bisporigera 270; cylin-
 drispora 159, 160; cylindrispori-
 formis 160; gemmata volvata 270;
 hygroscopica 270; magnivelaris 270;
 margarita 159, 271; parva 160; par-
 viformis 160; praelongispora 160;
 pseudoverna 159; Rhoadsii 160;
 roanokensis 159; solitaria 160; soli-
 tariiformis 160; strobiliformis 160;
 subballiacea 159; tenuifolia 159, 271;
 verna 159, 270; vernella 159; verni-
 formis 159; virosa 160, 270; virosi-
 formis 160
 Amanitopsis Canarii 436; cubensis
 437
 Amaurochaete 82-85, 197, 199, 200
 Amerosporium 37, 38, 40, 42, 44;
 Dolichi 38; **oeconomicum** 37, 38,
 40-42
 Ancyrophorus 83
 Angiospora 620, 625
 Anthurus 783; cruciatus 783
 Apatomyces 633
 Aphanomyces 25
 Aristastoma 40-42; concentrica 41,
 42, 44; **oeconomicum** 38, 42
 Armillaria alaphitophylla 437; chei-
 monophylla 437; fuscipes 746, 749,
 759; mellea 741-745, 747-752, 754,
 755, 758-766
 Arrhytidia 537
 Arthrobotrys 29; entomopaga 3
 Aschersonia 77, 78
 Ascobolus 633, 787; carbonarius 786;
 magnificus 65, 633, 634, 786, 790
 Ascocalyx 335, 336; Abietis 335, 336
 Ascotricha 154
 Aserophallus cruciatus 783
 Aspergillus 500, 510, 511, 521, 524,
 582, 583, 590, 592-594, 596, 598,
 599; alliaceus 512; amstelodami
 512, 515; candidus 512; carbonarius
 511, 512, 514; Chevalieri 512, 515;
 cinnamomeus 512; clavatus 512,
 583, 586, 592, 594, 597, 599; echinu-
 latus 512, 514, 515, 583, 588, 589,
 593, 594, 597, 598, 600; Fischeri
 512, 594, 596, 599; flavipes 462,
 469, 512; flavus 462, 469, 470, 507,
 508, 512, 582; fumigatus 512, 582,
 583, 586, 592, 594, 597, 599; gigan-
 teus 512; glaucus 514, 515, 522,
 582, 583, 588, 589, 592-594, 598,
 599; herbariorum 582, 592, 593,
 598; itaconicus 507-510, 512; luteo-
 virscens 512; nidulans 512; niger
 507-512, 514, 515, 599; niveo-
 glaucus 512, 514, 515; ochraceus
 512, 514; Oryzae 507, 508, 512;
 ostianus 512; parasiticus 512; quer-
 cinus 512, 514; repens 512, 515,
 582, 583, 588, 593, 594, 597, 598,
 600; restrictus 512; rigulosus 512;
 ruber 512, 514; Sydowi 508, 512;
 tamarii 512; terreus 507, 508, 510,
 512, 523, 524; terricola var. ameri-
 cana 512; umbrus 512; unguis
 512; ustus 512; varicolor 512; ver-
 sicolor 512; Wentii 512
 Asterophlyctis sarcopoides 110
 Atropellis 334, 336; pinicola 334, 354;
 Treleasei 355
 Auricularia 528, 535, 537, 538

- Bacillus influenzae* 475
Badhamia rubiginosa var. *globosa* 108
Barbeyella 83-85, 197, 198, 200, 202
Blakeslea trispora 507, 508
Blastocladia 456, 457; *parva* 164, 189
Blastocladia 171, 173, 189, 190;
asperosperma 164, 189; *cystogena*
 163-166, 174, 189; *laevisperma* 164,
 189; *simplex* 164, 165, 173, 189
Blastospora 299
Boletinus 385, *meruloides* 384, 385
Boletinus 125, 375; *castanellus* 385,
 386; *pictus* 386, 387; *porosus* 384,
 385; *Spraguei* 386, 387
Boletus 46, 374, 376; *affinis* 384; *al-*
bellus 379; *albipedes* 378; *auripes*
 var. *aureissimus* 797; *austrinus*
 798; *bovinus* 384; *californicus* 374;
castanellus 386; *cavipes* 375; *deco-*
rus 384, 388; *erythropus* 379, 380;
fellus 49; *ferrugineus* 381; *firmus*
 378; *fulvus* 383; *Frostii floridanus*
 799; *granulosiceps* 797; *griseus* 388,
 797; *griseus* subsp. *Pini-caribaeae*
 797; *hirtellus* 374, 375; *hypocary-*
cinus 798; *innixus* 383; *limatulus*
 382, 383; *luridus* 379; *magni-*
sporus 378; *miniatoolivaceus* var.
subluridus 798; *mutans* 374; *och-*
raceoroseus 375; *pisciodorus* 794;
Pocono 385; *pseudodecorus* 381;
rubellus 798; *rubellus* subsp. *bi-*
coloroides 798; *rubellus* subsp.
caribaeus 798; *rubellus* subsp. *con-*
sobrinus 798; *rubellus* subsp. *du-*
metorum 798; *rubricitrinus* var.
Fairchildianus 798; *rugosiceps*
 799; *sordidus* 381, 382; *subglabripes*
 799; *subsolitarius* 798; *subvelutipes*
 379, 380, 798; *tabacinus* 794; *tenu-*
iculus 383; *tomentosus* 374; *unicolor*
 384; *Weberi* 797
Bombardia lunata 634, 635; *lunata*
Bothrodiscus pinicola 356
Botryobasidium 534
Botryosporium 514
Botryotinia 655, 657, 658, 660, 663,
 664, 676, 678, 680, 682-684, 696,
 697; *convoluta* 679, 680, 707, 710,
 712; *Fuckeliana* 679, 707; *Porri*
 680, 707, 710; *Ricini* 680, 707, 711
Botrytis 405, 406, 412, 514, 516;
Arisaemae 689, 707; *cinerea* 406,
 643, 679, 680, 682, 707, 712, 713;
polyblastis 683, 707, 712; *spec-*
tabilis 514; *streptothrix* 684, 689,
 707
Brachybasidium 550; *Pinangae* 549,
 550
Brefeldia 82-85, 197, 199, 200; *max-*
ima 199
Bulgaria 336
Cadophora Richardsiae 514
Caecoma hypodytes 236, 241
Caldesia 316, 317; *Sabinae* 316
Calodon 156; *aurantiacus* 51; *cyaneo-*
tinctus 51; *ferrugineus* 51; *ferru-*
gipes 48; *geogenius* 46, 48; *scrobicu-*
latus 51; *velutinus* 51; *zonatus* 51
Calvatia gigantea 156
Camaropycnis 314; *Libocedri* 313,
 314, 315
Catenaria 163, 174, 177, 184-186, 188,
 189, 191; *Allomyces* 164, 167, 169-
 171, 172, 183, 189-192; *Anguillulae*
 163, 164, 173-176, 179, 181, 183-
 186, 189, 190, 192, 193; *pygmaea*
 185; *sphaerocarpa* 185
Catenochytridium carolinianum 190
Catenularia fuliginea 514
Cenangella urceolata 347
Cenangium Cephalanthi 349; *difforme*
 344; *fuliginosum* 344, 345; *globu-*
lare 347; *piniphilum* 354; *pithyum*
 356, 358; *Ribis* 339; *seriatum* 345,
 346; *urceolatum* 347, 348; *Urceolus*
 347; *viticolum* 343
Cephalosporium 78, 495, 496, 497,
 498, *acremonium* 496; *carpogenum*
 496; *Dispyri* 495, 496
Ceracea 551, *crustulina* 534
Ceratobasidium 533, 534, 540; *sterig-*
maticum 534
Ceratostomella adiposum 514
Cercospora 76, 492, 493, *Dolichi* 38,
Festucae 492, 493; *Forestierae* 76
Cerebella Andropogonis 73
Cerionomyces aureissimus 797
Cerotelium 624, *Dicentrae* 624
Chaconia 307
Chaetocladium Brefeldii 513
Chaetomella 40, *perforata* 40
Chaetomidium 154
Chaetomium 138, 140, 142, 144-146,
 148, 150, 153-155, 516, 522; *atterri-*
um 140, 143, 144, 146, 153;
aureum 139, 144, 146, 150, 153;
bostrychodes 140, 144, 146, 149,
 153; *cancroideum* 140, 144, 146,
 148, 153; *caninum* 148; *caprinum*
 141, 144, 146, 148, 153; *cochliodes*
 140, 143-146, 150, 153; *contortum*
 140, 144, 146, 148, 149, 153; *con-*
volutum 144, 146-148, 153; *crispa-*
tum 140; *cuniculorum* 140; *dolicho-*
trichum 144, 145, 146, 148, 149,
 153; *elatum* 138, 140, 141, 144, 146,
 148, 150, 153; *flexuosum* 140; *fu-*
nicolum 138, 139, 144, 146, 148,
 150, 153; *globosum* 138-141, 144-
 146, 148, 150, 153, 155, 514, 516;
indicum 140; *microcephalum* 144,
 145, 146, 148, 151, 153; *murorum*
 140, 144, 146, 151, 153; *ochraceum*

- 139, 140, 144, 146, 153; **pachypo-**
dioides 144, **145**, 146, 152, 153;
simile 140; spirale 140; spirochaete
140; trigonosporum 148
Chaetoseptoria Vignae 40
Chaetosticta 40, 41
Chardonella 299
Chlamydomonas 634; eugametos 790
Chloroscypha Jacksoni 315
Chrysella 298
Chrysocelis 299; ascotela 299; Muehl-
enbeckiae 299
Chrysophlyctis 284
Chrysospora 299; *Gynoxidis* 610, 613
Chytridium zootocum 190
Ciboria 407, 484, 488, 489; acerina
412; **carunculoides** 413, 478, 480,
481, **484**, 485, 487-490; *Caucus* 484;
Shiraina 488, 489, **490**
Cinnobolus 598
Cintractia *Distichlidis* 258-260; limi-
tata 66; Montagnei 66
Circinella spinosa 513
Cladochytrium 191
Cladosporium fulvum 514
Clastoderma 82-84, 197, 198, 200,
202; *Debaryanum* 90
Claudopis nidulans 766
Clavaria 425, 426; cinereoatra 426;
floridana 425, 426
Claviceps 79, 411; *nigricans* 412
Clavulina 426
Clitocybe 741, 742, 755, 762, 765, 766;
cespitosa 766; *monodelpha* 741,
742, 745, 766; *parasitica* 742; *tabes-*
cens 741-746, 748-765
Clostridium tetanus 460; Welchii 460
Cochlonema cylindricum 14, 15; fusi-
sporum 14; megaspirema 25; nema-
tospora 25; **ozotum** 15, 16, 21, 31;
pumilum 9, 14-16, 30; *symplocum* 10
Coemansia 516; *pectinata* 513, 515
Coleosporium 537, 551; *delicatulum*
543; *Ipomoeae* 71, 611; *Lacinariae*
71; *Terebinthinaceae* 71
Colletotrichum falcatum 637, 638
Collybia alphetophylla 436; euphylla
437; *haposarcar* 437; *Magisterium*
437
Columnothyrium 135
Comatricha 82-84, 99, 197-200; cor-
nea 199; laxa 108; obtusata 83;
Rispaudii 199; *Shimekiana* 98, 99;
typhoides 199
Conidiobolus 514, 516, 522
Coniostelium 307
Contextocutis 433
Coprinus 120, 194, 276; **asterophorus**
120-122, 194, 196
Coprotinia 407, 648, 663, 692, 697,
698, 713; *minutula* 658, 659, 697,
698, 708, 712
Corticium 528, 539; *sterigmaticum*
551
Corynebacterium diphtheriae 460
Crinipellis 436
Crumenula 333-336; *pinicola* 334, 335,
352; *Ribis* 339; *sororia* 334, 354;
Urceolus 335, 347
Cudonia 267
Cunningham *echinulata* 513
Cunninghamella *echinulata* 513
Cyphella fasciculate 336
Cystobasidium 535, 538
Cystopage 2; **intercalaris** 5, 6, 8, 21,
22, 30; *lateralis* 2, 5, 8
Cystospora 299
Dacrymyces 528, 543, 546, 548, 550,
551; *epiphyllus* 543, 544
Dacryomitra 537
Dacryomyces (see *Dacrymyces*)
Daedalea 385; *meruloides* 385; *philip-*
pinensis 793
Dasturella 625
Dasyscypha 40, 41
Dasyscypha 136
Dentinum **albidum** 51; *repandum* 51
Dermatea *fusispora* 342; *Kalmiae* 346;
seriata 345; *tabacina* 350
Dermatella *montanensis* 349
Diachea 83-85, 93, 197, 200, 201;
subsessilis 108
Diacheopsis 84, 85, 92, 93, 197, 200,
201; *metallica* 86, 93, 201
Dicellomyces 544, 549, 550; **gloeos-**
porus 544, 545, 548, 551
Dioicomyces 633
Dipodascus *uninucleatus* 514
Doassansia *deformans* 66
Dothichloe *nigricans* 65, 67
Dothidella 577, *Ulei* 576
Durandia 334, 336; *Fraxini* 350
Durandiella 334, 336; *Nemopanthis*
346
Echinostelium 82-85, 202
Elaeomyxa 84, 85, 197, 200, 201;
cerifera 201
Elvela (see *Helvella*)
Endochytrium *operculatum* 191, 458
Endocochlus 14
Endophyllum 411
Enerthenema 82-85, 197, 198, 200-
202; *muscorum* 95
Entomophthora 522; *apiculata* 514,
516
Entyloma **tagetesium** 773
Eocronartium 535, 538
Epidermophyton *floccosum* 799; *in-*
terdigitale 514
Erysiphe 598
Eurotium 582, 593, 598; *herbariorum*
582

- Eutrybliella 316
 Exidia 528
 Exobasidium 528
- Favolaschia 126
 Fayodia bisphaerigena 439
 Fistulina 793; hepatica 793
 Fuckelia 335; Ribis 335
 Fulgia encaustica 100
 Fuligo septica 447, 451, 456, 458
 Fusarium 785; bulbigenum 517; bulbigenum var. Lycopersici 517; moniliforme 514, 517
 Fusisporium Berenice 356
- Geaster 601, 603, 607; fornicatus 603
 Geasteroides 601, 607, 608; texensis 605, 607
 Geasteropsis 601, 603, 608; Conrathi 603, 604; texensis 605
 Gelasinospora 362-364, 784; tetrasperma 367, 787, 789
 Gelatinosporium betulinum 345, 346
 Geoglossum 33; fallax 33, 34; hirsutum 32, 33; nigrum 32, 34; pumilum 32, 34; pygmaeum 34, 35
 Gliocladium 515; deliquescens 513; fimbriatum 513; roseum 513; vermoeseni 508
 Gloeoglossum 33; glutinosum 35
 Gloeosporium 477, 579; podophyllum, 684, 708
 Gloeotulasnella 540; pinicola 536
 Glomerella 786; Lycopersici 790
 Glomosporium 283; **Amaranthi** 280, 282; leptideum 280, 282, 283
 Godronia 333-336; **Abietis** 339, 356; Betheli 336, 344; Cassandrae 347, 348; **Castanopsisidis** 339, 351; **Cephalanthi** 338, 349, 353, 359; Davidsoni 338, 340; **Fraxini** 338, 350; **fuliginosa** 338, 344; **fusispora** 338, 342; **jamaicensis** 339, 353, 356, 359; Juniperi 358; **Kalmiae** 337, 338, 346, 359; **Lantanae** 338, 341; lobata 338, 340; **Lonicerae** 338, 343; **montanensis** 338, 348; Muhlenbeckii 333, 336; Nemopanthis 338, 346; parasitica 339, 351; pinicola 339, 352, 354, 355, 357, 359; rhabdospora 358; **Ribis** 338, 339; rugosa 358; **seriata** 338, 345; sororia 339, 354, 357, 359; Spiraeae 337, 338, 342; striata 344; **tabacina** 338, 350; **Treleasei** 339, 355; **tumoricola** 338, 340; turbinata 338, 341; urceolata 348; Urceolus 338, 347; **viburnicola** 338, 349; viticola 338, 343; **Zelleri** 339, 354
 Gonococcus 460
 Gopina 298; andina 617
 Gorgoniceps Kalmiae 346
- Gymnoascus 514
 Gymnosporangium Ellisii 71; Juniperi-virginianae 398; transformans 72
 Gyrodon 125, 374, 385
 Gyromitra 416, 418, 423, 424; esculentata 415-417, 424
 Gyroporus 125
- Helicobasidium 538
 Helicogloea 535, 538
 Helicostylum 513
 Helminthosporium 514
 Helotium 267, 642, 650, 651; amenti 675, 708; **cudonioides** 267, 268; macrosporum 700, 708; renisporum 701, 708
 Helvella (Elvela) 416, 418, 423; crispa 423; esculenta 415; lacunosa 416-418, 422-424; lacunosa var. fumosa 422; Mitra 416, 418
 Herpobasidium 535, 538, 550
 Heterophragma 624, 625; Roxburghii 628
 Heterosphaeria 312, 314; pinicola 352
 Hyaloria 536
 Hydatinophagus 25; Apsteinii 23
 Hydnellum 48, 52, 156
 Hydnum 50; amarescens 49; aurantiacum 156; badium 51; **brevipes** 48; cristatum 51; cyathiforme 51; Erinaceus 51; fennicium 49, 51; ferrugineum 51; floriforme 156; imbricatum 51; **roseolum** 49, 50, 51; subsquamosum 51
 Hydrodictyon reticulatum 118
 Hypochytrium catenoides 174
 Hypochnus 528
 Hypocrella 78
 Hypomyces 785, 786; Solani f. Cucurbitae 785, 790
- Iola (see Jola)
 Irenina obtusa 389
 Ixocomus 374
- Jola 535, 538, 550
- Kordyana 552
 Kriegeria 315; Jacksoni 315
 Kuehneola Loeseneriana 611
- Laccaria 439
 Lachnum 136
 Lactaria 53, 56, 63; alpina 61-63; **Beardslei** 59, 61; camphorate 59-62; **flocculosiceps** 57, 60-62; floridana 61, 64; **fumeacolor** 57, 58, 61; helva 60-62; isabellina 61-64; limacina 58; mutabilis 60, 61; rimosella 60-62; tabidus 62, 63; torminosa 64; trivialis 58; villosa 61, 64; **xanthhydrorheus** 426

- Lactarius 426 (see Lactaria)
- Lambertella 407, 412, 648, 650, 652, 655, 658-660, 663, 699, 701, 703, 712, 713; Cephalanthi 703, 708, 710; colombiana 703, 708, 712; Cornimaris 703, 708, 710; Hickoriae 703, 708, 710; Jasmini 660, 703, 708, 710; Pruni 703, 708, 711; tropicalis 660, 703, 708, 710; Viburni 703, 708, 711
- Lamproderma 80-87, 90, 92, 93, 99, 108, 197-201, 203, 204; arcyrioides 86, 88, 90, 91, 93-97, 101, 103, 105, 106; arcyrioides var. irideum 102; arcyronema 86, 88, 91, 98, 101, 199; arcyronema var. japomicum 99; atrosporium 88-90, 104, 105; atrosporium var. anglicum 90; atrosporium var. echinulatum 90; atrosporium var. macrosporium 90; atrosporium f. subcylindricum 90; brevipes 100; Carestiae 86, 88, 91, 93-96, 105-107; Carestiae var. cucumer 106; columbinum 86, 88, 91, 99, 101, 102, 203; colimbinum var. brevipes 101; columbinum var. gracile 101; columbinum var. iridescens 101; cribrarioides 86-88, 91; cristatum 86-88, 91; Cruchetii 100, 101; echinosporium 104; echinulatum 86, 92, 97, 103, 104; Ellisiana 108; Fuckelianum 108; fuscum 105; Gullielmae 86, 88, 91, 92; Hookeri 108; inconspicuum 98; insessum 86, 92, 93, 200, 201; iridescens 100; irideum 102; leucosporium 94; Listeri 103; Lycopodii 87; minutum 98; muscorum 86, 88, 91, 95; nigrescens 94; ovoideum 97, 105, 106; ovoideum var. cucumer 106; ovoideum var. piriforme 97, 103, 104; physaroides 100, 102; piriforme 97, 103; pulchellum 107; robustum 86-91, 104, 105, 202; robustum var. anglicum 90; Saccardianum 94; Sauteri 86-89, 91, 94-98; 105-107; Sauteri var. atrogriseum 97; Sauteri var. brunescens 97; Sauteri var. Carestiae 93; Sauteri var. fallax 98; Sauteri f. gracile 98; Sauteri var. piriforme 97; Sauteri var. pulchrum 98; Sauteri var. robustum 89; Sauteri f. turbinatum 98; Schimoeri 100; scintillans 86, 88, 91, 95, 101, 102, 201; splendens 106; splendens f. gracile 107; splendens var. leucotrichum 98, 107; Staszycii 100; subglobosum 100-102; suboeneum 98; tatricum 94; violaceum 93-96, 105, 106; violaceum var. Carestiae 93; violaceum var. debile 90; violaceum var. Sauteri 96
- Lasiochaeria striata 335, 344
- Leccinum albellum 799; aurantiacum 375; chalybaeum 799; rugosiceps 799; scabra 799; subglabripes 799; subglabripes var. corrugatoides 799; versipelle 375
- Lentinus lepideus 756; tigrinus 756
- Lepiota 53; americana 54; Badhami 55; brunescens 54; cupressae 53, 54, 61; decorata 56, 57, 61, 64; marginata 55, 61; rubrotinctoides 56
- Lepista sordida 435
- Leptothyrella 132; Liquidambaris 130, 132, 133
- Leptothyrium castanicolum 131, 133; dryinum 129, 131, 133; dryinum f. Mali 131, 133; dryinum f. Sassafras 131, 133
- Longia 636
- Longula 636; texensis 636; texensis var. major 636
- Lyophyllum tylicolor 439
- Lysurus pusillus 781, 782
- Macbrideola 84, 85, 197, 198, 200, 202
- Mainsia Holwayi 611
- Manettia Lobbii 617
- Marasmius 436, 439; aciculaeformis 436; capillipes 436; cyatheae 439; floridanus 426; Hudsonii 436; hygrometricus 436; Magnoliae 435; nigripes 439; rotalis 436
- Maravalia 296, 299
- Martinia 407, 648, 658, 659, 663, 697, 698, 703, 713; panamaensis 660, 697, 698, 702, 712
- Mastomyces 336; Friesii 335, 347; uberiformis 335
- Mehtamyces 619, 620, 625; Stereospermi 621, 622, 628
- Melampsora 624
- Meliola 389; anceps 389; anceps var. Mussaendae 389; obtusa 389; Psychotriae 389
- Meningococcus 460
- Metarrhizium 514
- Microascus trigonosporus 514
- Micromyces 565
- Micromycopsis 565
- Microsporium audouini 797; canis 797
- Mitula 33; bermudiana 35
- Miyabella 284
- Mollisia tetrica 412, 714
- Monascus purpureus 514
- Monilia sitophila 514
- Monilinia 407, 648, 650, 652, 654, 657, 661-663, 668, 670, 702, 713; Amelanchieris 672, 708, 710; Ariae 672, 708, 711; Aucupariae 672, 708; Azaleae 672, 708, 710, 711; baccaurum 672, 708, 711; Corni 672, 708,

- 710; *Cydoniae* 672, 708, 710; *demissa* 672, 708, 711; *fructicola* 487, 670, 708, 711; *fructigena* 672, 708, 711; *Johnsonii* 672, 708, 710, 711; *laxa* 672, 708, 711; *Ledi* 673, 708, 711; *Mali* 673, 708; *megalospora* 673, 708, 711; *Mespili* 673, 708, 711; *Oxycocci* 673, 708, 711; *Padi* 673, 708, 711; *Polycodii* 673, 708, 711; *Rhododendri* 673, 708, 711; *Seaveri* 673, 708, 711; *Urnula* 673, 708, 711; *Vaccinii-corymbosi* 673, 708, 711
- Monoblepharella* 205, 207, 213, 215, 216; *elongata* 205, 207-209, 211, 213-216; *Laruei* 210, 211, 213-216; *mexicana* 205, 208, 211, 213-216; *Taylori* 205, 207, 208, 210, 211, 213-216
- Mononlepharis* 207
- Montagnites* 122
- Mucidula aliphitophylla* 437; *cheimonophylla* 437
- Mucor genevensis* 513; *hiemalis* 513; *mucedo* 513; *Ramannianus* 508; *Rouxianus* 507, 508, 513, 515
- Muiaria* 161
- Muigone* 161
- Mycena aliphitophylla* 436; *leucoconis* 436
- Mycenella* 439
- Mycogone cervina* 424
- Mycotypha microspora* 513
- Myiocopron* 161
- Myiophagus* 161
- Myriostoma* 601
- Myrophagus* 161
- Myropyxis* 162
- Myrothecium* 162
- Neotyphula* 538
- Neurospora* 361, 363, 364, 368, 369, 634, 784, 787, 790; *crassa* 369, 786, 790; *sitophila* 364, 367, 635, 790; *tetrasperma* 362-364, 367, 629, 630, 787-789
- Nowakowskiella* 447, 455, 457, 459
- Nyssospora* 272
- Olpidiopsos* 170, 190, 569
- Olpidium* 163
- Ombrophila setulata* 701, 708; *Sydowiana* 701, 708
- Orthotricha* 82
- Oudemansiella* 436, *apalosarca* 437; *Canarii* 436; *cheimonophylla* 437; *echinosperma* 439; *platensis* 437
- Ovulinia* 407, 648, 657, 663, 696, 713; *Azaleae* 696, 708, 710, 711
- Paecilomyces* 515; *Varioti* 513
- Paragyrodon* 125
- Parasitella simplex* 513
- Parkesia* 311, 314; *Libocedri* 312, 313, 315
- Pascheriella* 166
- Patellaria urceolus* 701, 708
- Patouillardina* 534, 535, 537
- Pedilospora dactylopagea* 14
- Pellicularia* 534, 539, 540
- Penicillium* 460, 466, 475, 500, 511, 515, 517, 521, 524, 594, 598; *baculatum* 513; *baiiolum* 512; *biforme* 513; *camemberti* 513; *carminoviolaceum* 512; *chrysogenum* 464, 470, 475, 500, 507, 508, 510, 513, 515, 518, 519, 524, 796; *chrysogenum-notatum* 462; *citrinum* 513, *claviforme* 507, 508, 513, 515; *cyclopium* 513; *decumbens* 512; *digitatum* 512; *duclauxi* 513; *expansum* 513; *herquei* 513; *implicatum* 512; *islandicum* 507, 508, 513; *italicum* 513; *janthinellum* 513; *javanicum* 512; *lemoni* 508; *lilacinum* 513; *lividum* 512; *Melinii* 513; *nigricans* 513; *notatum* 461, 464, 467-470, 472, 473, 500, 507, 508, 510, 513, 515, 518, 519, 520, 521, 523, 525, 583, 585, 598, 796, 797; *ochraceum* 513; *oxalicum* 513; *patulum* 513, 515; *puberulum* 513; *purpurogenum* 508, 510, 513; *purpurogenum* var. *rubi-sclerotium* 510; *roqueforti* 515; *roseo-maculatum* 512; *rubrum* 461, 462; *rugulosum* 513; *spinulosum* 512; *stoloniferum* 513; *terrestre* 513; *Thomii* 512; *Urticae* 513; *vinaceum* 507-510, 512, 515; *viridicatum* 513; *Waksmani* 512
- Periconia* 577-579; *byssoides* 579; *Heveae* 580, 581; *pycnospora* 578, 579
- Peziza* *Acetabulum* 423; *amentacea* 675, 708; *amenti* 675, 708; *bolaris* 700, 708; *calopus* 700, 708; *Candolleana* 668, 708; *Carpini* 676, 708; *Caucus* 675, 708; *Cephalanthi* 349; *ciborioides* 666, 708; *Curreyana* 666, 708; *Duriaeana* 666, 708; *echinophila* 700, 708; *elatina* 700, 708; *firma* 700, 708; *Fraxini* 350; *Fuckeliana* 679, 708; *globularis* 347; *longipes* 700, 708; *lutea-virescens* 700, 708; *petiolorum* 701, 708; *pinicola* 352; *pinicola solitaria* 352; *Rapulium* 674, 708; *ribesia* 333, 335, 339; *sclerotium* 664, 708; *sejournei* 412, 714; *Urceolus* 333, 336, 347; *viticola* 343
- Pezizella Lythri* 367
- Phacidium seriatum* 345
- Phaeocibaria* 412
- Phaeolimacium bulbosum* 437

- Phakopsora 619, 625, 628; Stereopermi 621
 Phellodon alboniger 51; amicus 51; graveolens 51; tomentosus 51
 Phialea alutipes 315
 Phleogenia 535, 537
 Phlogiotis 537; helvelloides 537
 Phlyctidium Dangeardii 116, 117; spinulosum 565
 Phlyctochytrium 110, 113, 118, 569; **Aureliae** 110-118; bullatum 113; chaetiferum 113, 565; dentatum 113; dentiferum 113; Synchytrii 116-118; urceolare 113; Zygnematis 113
 Phycomyces 516, 524; Blakesleeanus 507, 508, 513, 515
 Phyllactinia 767, 769, 775
 Phylloparus 125
 Phyllosticta 578; stomaticola 639
 Physalospora tucumanensis 637, 638
 Physarum 82; columbinum 85, 99
 Phytophthora 10, 28
 Pilacrella 535
 Piostoma 132; Nysae 132, 133
 Pithya Cupressi 65
 Plasmodiophora 453, 456; Brassicae 447, 452, 456, 459
 Platygloea 535, 538, 540
 Pleurage 363, 364, 786; anserina 368, 596, 598, 784, 789, 790
 Pleurotus sapidus 766
 Pluteus macrosporus 437
 Pneumococcus 460
 Polyactis streptothrix 689, 708
 Polyphagus 554; Euglenae 553-556, 563, 565-570; Euglenae var. minor 554, 555, 565, 567, 568; laevis 560, 565, 567, 568, 570
 Polyporoletus 124, 125, 128; sublividus 124, 125, 128
 Polyporus elegans 157; maculosus 157; **submaculosus** 157
 Poronia leporina 412
 Porphyrellus 381, 382; **fumosipes** 381, 382; porphyrosporus 381, 382; **sordidus** 382
 Prosopodium 307, 620, 623, 625, 628
 Proteomyxa 795
 Protohydnum 534
 Protomyces 528
 Pseudolpidium 569
 Puccinia 307, 615; abrupta 611; **abutiloides** 611, 613; Aristidae 613; **bellurensis** 300, 303; Bimbergi 613; Blepharidis 304, 306; **boerhaviaefoliae** 300, 304, 306; Bomareae 613; Cenchrus 72; Conoclinii 613; conturbata 613; crassicutis 613; Dichondrae 613; evadens 72; festata 613; Fuirenae 72; graminis 362, 364, 368; heterospora 613; Hieraci 613; Hyptidis 73; Hyptidis-mutabilis 73; impedita 614; leonotidicola 73; levis 73, 74; **Macbrideana** 613, 615; makenensis 306; minuscula 614; mogiphanis 614, 617; obliqua 74; Podophylli 74, 411; punctata 614; Roseana 614; rubigo-vera 614; Sarachae 614; **Satureiae** 614; Sherardiana 615; Solmsii 304, 307; spilanthisicola 615; tuyutensis 303; Viola 74; **Volutarellae** 300, 302
 Pulveroboletus Ravenelii 432; subacidus 432
 Pycnocalyx Abietis 356
 Pycnochytrium 284
 Pycnopeziza 412, 652, 714; longiasca 700, 708
 Pyronema 366, 367; confluens 368
 Pythium 1, 2, 10, 14, 17, 22-24, 26-29, 215, 569; adhaerens 24, angustatum 24, Butleri 24; Debaryanum 22; diacarpum 24; dissotocum 24; epigynum 24; ultimum 22, 27; vexans 26
 Raciborskia 82, 83
 Reticularia 82
 Rhabdocline 326, 328, 329, 330; Pseudotsigae 328, 332
 Rhadogloeum 326, 330, 331; abietinum 326, 329; **hypophyllum** 327, 330, 332; Pseudotsugae 326, 329, 330, 332
 Rhizoctonia tuliparum 411
 Rhizophydium 109, 116, 174; **chytriphagum** 110, 113-118; parasitans 116
 Rhizopus 324, 631; arrihizus 513; delemar 508, 510, 517; nigricans 514, 515, 631; nodosus 513; Oryzae 507, 508, 510
 Rhizothyrium 135, 136
 Rostafinskia 82
 Rostkovites 374
 Rozella 117; Allomyces 164
 Russula 53, 428; cyanoxantha 428, 430; **ferrotincta** 428, 429, 430; flocculosa 430, 431; mutabilis 432; pulverulenta 431, 432, 433; subvelata 432; virescens 426
 Rutstroemia 407, 648, 650, 652, 655, 658, 659, 662, 663, 698, 699, 714; americana 700, 708, 710; baccarum 672, 708; bolaris 700, 708, 710, 711; calopus 700, 708, 711; echinophila 700, 708, 710, 711; latina 700, 708, 710, 711; firma 650, 700, 708, 710, 711; longiasca 700, 708, 711; longipes 700, 708, 710; luteo-virescens 700, 708, 710, 711; macrospora 700, 708, 710, 711; Nerii 700, 708, 710,

- 711; nervisequa 700, 708, 711; petiolorum 701, 708, 710, 711; Poluninii 701, 708, 710; Pruni-serotinae 701, 708, 710, 711; Pruni-spinosae 701, 708, 711; renispora 701, 708, 711; setulata 701, 709, 710; Sydowiana 701, 709, 710, 711; urceolus 701, 709, 711
- Saccharomyces cerevisiae 767, 774; Ludwigii 773
- Santapaella 625; Heterophragmae 626, 627, 628**
- Saprolegnia 25, 189; parasitica 164
- Sarcodon 48, 49, 51
- Schenella 84, 85, 197, 199, 200
- Schizonella 371
- Schizophyllum commune 756
- Schizosaccharomyces octosporus 773
- Scleroderis 333, 334, 335, 336; Cephalanthi 349; fuliginosa 344; Lantanae 341; lobata 340; pithya 356; ribesia 339; seriata 345; Spiraeae 342; Treleasei 355; tumoricola 340
- Sclerotinia 405-407, 412, 413, 489, 491, 642-644, 646, 648, 650, 652, 653, 660-662, 664, 666, 667, 674, 678-680, 690, 696, 705, 712-714; Alni 675, 709; Amelanchieris 672, 709; angustior 673, 709; Ariae 672, 709; Aschersoniana 676, 709; Aucupariae 672, 709; baccarum 672, 709; Betulae 676, 709; bifrons 412, 642, 643, 645, 647, 668, 709, 713; Camelliae 656, 709, 710; Candolleana 668, 709; Caricis-ampullaceae 412, 658, 662, 666, 709, 710, 714; carunculoides 476, 486, 491, 676, 709; Cerasi 672, 709; cinerea 672, 673, 709; cinerea f. Pruni 673; confundens 646, 647, 668, 709; convoluta 679, 682, 709; Corni 672, 709; Coryli 676, 709; Crataegi 672, 709; Curreyana 412, 650, 664, 666, 709, 710, 713; Cydoniae 672, 709; demissa 672, 709; Duriaana 412, 661, 666, 709, 710, 713; Erythronii 668, 709; Ficariae 650; foliicola 668, 709; fructicola 487, 670, 709, 712; fructigena 672, 709; Fuckeliana 406, 679, 682, 709, 711, 713; Geranii 705, 709; Gladioli 368, 483, 491, 674, 709; gracilis 668, 709; heteroica 673, 709; intermedia 666, 709, 710, 711; Johnsonii 672, 709; laxa 672, 709; Ledi 673, 709; Libertiana 666, 709; longisclerotialis 662, 664, 666, 709, 710, 713; Mali 673, 709; megalospora 673, 709; Mespili 673, 709; Minor 666, 709, 710, 711; nervisequa 701, 709; Oxyocci 673, 709; Padi 676, 709; Panacis 666, 709, 711; polyblastis 683, 709, 712; Polycodii 673, 709; Porri 680, 709; Pruni-spinosae 701, 709; Rhododendri 673, 709; Ricini 406, 680, 709; sativa 666, 709, 711; scirpicola 661, 666, 709, 711; sclerotiorum 660, 661, 664, 709; Seaveri 673, 709; Shiraiana 488, 490, 491, 676, 709; sulcata 661, 664, 666, 709, 710; Trifoliorum 666, 709, 711; Urnula 673, 709; Vaccinii 673, 709; Vaccinii-corymbosi 674, 709; Vahlana 650, 662, 666, 709, 710; Whetzellii 647, 668, 709
- Sclerotium 692, 694; bifrons 641-643, 647, 668, 709; cepivorum 674, 709; Gladioli 674, 709; nervale 701, 709; sulcatum 666, 709
- Scopella 296, 299, 307
- Scopulariopsis 515, 598; brevicaulis 513; brevicaulis var. glabrum 513
- Scutiger 125, 128; caeruleoporus 124; retipes 125, 126, 128; **sublividus 126-128**
- Seaverinia 656, 657, 664, 703; Geranii 704, 705, 707, 709, 710**
- Sebacina 534, 537, 540
- Selenophoma Donacis 639; Donacis var. **stomaticola 639; Everhartii 639; obtusa 638**
- Septobasidium 535, 538, 541; Poly-podii 535
- Septochytrium macrosporum 191
- Septogloeum podophyllum 684, 709
- Septoria 77; Pachysandrae 77
- Septosperma 117; anomala 116; Rhizophidii 116
- Septotinia 407, 648, 657, 658, 663, 683, 713; podophyllina 657, 684, 709, 711
- Siphoptychium 82
- Sirobasidium 536
- Sirosperma 78; **floridana 78; Hypocrellae 78; sparsum 78**
- Sirospheera 77; chlorostoma 77
- Sommerstorffia 25, spinosa 23, 28
- Sordaria 516, 522; fomicola 514, 516
- Sorosporium 255, confusum 68; consanguineum 218, 219, 229-234; Reilianum 229, 235; Syntherismae 68; Williamsii 253, 255, 257
- Spermatomyces 477; Mori 477, 486
- Sphaelia 79, 412; **Tricholaenae 79**
- Sphaeria fuliginosa 335, 344; uberi-formis 347
- Sphaerographium Fraxini 350
- Sphaeronema Fraxini 350; seriatum 346; urceolata 347
- Spirochaeta cytophaga 155
- Spongospora 453
- Stachybotrys lobulata 514
- Staphylococcus 460, 465; aureus 460, 796

- Steccherinum adustum 51; ochraceum 51
 Stemonitis 82-85, 197-200, 398, 410; arcyrioides 94; Carestiae 93; confluens 199; cribrarioides 87; echinulata 103; ferruginea 447, 448, 450, 451, 456, 458; fusca 447, 449-452, 456, 459; hyperopta 198; nigrescens 198; physaroides 99; scintillans 102; violacea 94
 Stigmella dryina 129
 Streptococcus hemolyticus 460; viridans 460
 Streptotinia 655, 657, 660, 663, **684**, 689; *Arisaemae* 684, **686**, 689, 709, 710
 Stromatinia 407, 654, 660-662, 674, 705, 707; *cepisorum* 674, 709, 710; *Geranii* 705, 709; *Gladioli* 674, 709-711; *Paridis* 674, 709, 711; *Rapulum* 674, 709, 712; *Smilacinae* 674, 709, 711
 Stylopaze 29; cephalote 13; hadra 1, 2, 8, 17; insidians 22; leiohypha 1, 2, 8, 17; lepte 17; *minutula* 16, **18**, 21, 31; rhabdospora 25, 26; scotiospora 27
 Stypella 537
 Suillellus subuluridus 798
 Suillus 374, 375, 384; *albidipes* **378**; *americanus* 384; *brevipes* 376-378; *granulatus* 375-378; *hirtellus* 388; *luteus* 375-377; *subaureus* 384; *subluteus* 376, 377
 Syncephalastrum 514
 Synchaetophagus 25
 Synchytrium 284, 285, 294, 574, 718, 735, 738; *aureum* 574, 575, 731, 740; *australe* 288; *bonaerense* 293; *Cerastii* 288, 289, 725, 739; *Chil-tonii* 286, 287, **288**, 722, 725, 737, 739; *decipiens* 447, 456, 457, 459; *Edgertonii* 290, 291, 729, 738, 739; *endobioticum* 118, 458; *Erigerontis* 571, 573, 575, 718, 737, 738; *fulgens* 285-287, 722, 737-739; *Geranii* 289, 290, 725, 737, 739, 740; *globosum* 573, 575, 720, 739; *Hydrocotyles* 286, 292, 293, 731, 740; *Lepidii* 292, 293, 729, 737, 740; *Lythri* 573, **574**, 575, 720, 739; *modioliensis* 287, 288, 736, 737, 738, 740; *Stachydis* 572, 573, 575, 734, 737, 740; *Stellariae* 288
 Tecaphora leptideum 283
 Terrostella 601, **605**, 607; *texensis* **605**, 606
 Testicularia Cyperi 68, 69
 Thamnidium elegans 514
 Tilletia Menieri 279, 280; *Phalaridis* 278-280; *Tritici* 218, 235
 Tilmadoche Berkeleyi 94
 Tolyposporium 283; leptideum 282, 283
 Torula utilis 773
 Tranzschella 255; otophora 251, 253, 255
 Tremella 537, 540
 Triblidium seriatum 345
 Trichaster 601, 603, 608; *Conrathi* **603**, 604; *melanocephalus* 602, 603, 608; *texensis* 607
 Trichia 81; *columbina* 99; *physaroides* 99
 Trichoderma Koningii 514
 Trichoglossum 33, 36; *hirsutum* 32, 33; *hirsutum* f. *Wrightii* 32; *Wrightii* 32, 33
 Tricholoma 423, 433; *Cossonianum* 435; *goniospermum* 435; *porphyrophyllum* 435; *pseudosordidum* 433, **434**, 435; *sclerotoidium* 423
 Trichophyton mentagrophytes 796, 797; *rubrum* 797; *tonsurans* 797; *violaceum* 797
 Trichothecium roseum 514
 Triphragmiopsis 272
 Triphragmium 272
 Tritirachium dependens 514
 Trotteria 40, 41
 Trybliidiella 316, 317; *hysterina* 317; *macrospora* **315**, 317; *magnispora* 313; *rufula* 316; *Sabinae* 316, 317
 Trybliidiopsis 314
 Tryblidium 317 (see Triblidium)
 Tubercinia paridis 373
 Tubifera 82
 Tulasnella 531, 534, 536, 537, 539, 540; *mesenterica* 534
 Tylopilus 125; *alboater* 388; *felleus* 799; *indecisus* 388; *minor* **799**; *peralbidus* var. *rhodochonius* **799**; *plumbeoviolaceus* 388; *tabacinus* var. *amarus* **799**; *tabacinus* var. *dubius* **799**
 Tylostoma 120
 Tympanis difforme 344; *Fraxini* 350; *Nemopanthis* 346; *rhabdospora* 358; *Ribis* 339; *turbinata* 341; *Urceolus* 347
 Uredinella 536, 541
 Uredo 616; *Althernantherae* 617; *Ar-cytophylli* 616; *Cephalanthi* 75; *Ichnocarpus* 295, 296; *irrequisita* 616; *laeticolor* 75; *Sapotae* 75; *Stereospermi* 619-621
 Urocystis 371; *Ungeri* **372**; *Waldsteiniae* 370
 Uromyces araucanus 613, 617; *bidenticola* 617; *Commelinae* 75, 617; *cucullatus* 617; *Eragrostidis* 618; *Hedysari-paniculatae* 618; *lathyri-*

- nus 618; *Mucunae* 308; *proëminens* 618; *spermacoces* 76; *sphaericus* 618; *striatus* 618; *Suksdorfii* 613, 618; *tenuistipes* 618; *Tricholaenae* 74; *Trifolii-megalanthi* 618
Uropeltis 625
***Ustacystis* 796; *Waldsteiniae* 796**
Ustilago 218, 235, 239, 255, 258, 265, 323-325, 371; *affinis* 318-322; *affinis* var. ***Hilariae* 318**, 322; *agrestis* 238, 240, 241; *americana* 318; *appendiculata* 251, 253, 255, 256; *Avenae* 217, 222, 223; *Bromi-erecti* 240, 241; ***concelata* 372**; *Crameri* 218, 231-233, 235; ***Garcesi* 372**; *halophila* 218, 219, 225, 226, 231-234, 251, 254, 258-262; *Henningsii* 318; *Hilariae* 319; *Hordei* 217, 223; ***hyalino-bipolaris* 321, 322, 324, 325**; *hyalophila* 258, 259; *hypodytes* 236, 237, 239-241, 246, 253, 258, 260, 262, 265; *levis* 217, 222; *longissima* 217, 218; *microspora* 325; *minima* 258, 325; *Muhlenbergiae* 320, 322, 324, 325; *nuda* 217; *nummularia* 251, 261-263; *Spegazzinii* 218, 231, 237-246, 252, 256; *Spegazzinii* var. ***agrestis* 218, 224, 228, 231, 233, 238, 242, 243, 245, 246, 252, 253**; *sphaerogena* 70; *Stenotaphri* 318-320; *Stipae* 240, 241; *tenuispora* 70; *utriculosa* 70; *violacea* 217; *Waldsteiniae* 371; *Williamsii* 218, 219, 221, 223, 225, 228, 231, 233, 251, 253-257, 324; *Zaeae* 217, 218, 231
Venenarius margarita 270, 271; ***tenuifolius* 270, 271**; *vernus* 271
Venturia occidentalis 40
Vermicularia graminicola 637, 638
Verpa 416, 652, 653, 658, 690
Verpatinia 662, 686, 690, 692; ***calthicola* 686, 692, 709, 710**; ***duchesnayensis* 690, 694, 709, 710**
Verticillium albo-atrum 514; *cinnamomeum* 77
Volvaria 442; *bombycina* 440-443
Volvariopsis bombycina 440
***Whetzelia* 371; *Waldsteiniae* 372, 796**
Woronina glomerata 795
Woroninella 284
Xanthoconium 384
Xerocomus badius 383, 388; *badius* var. ***limatulus* 383, 388**; ***Roxanae* 383**
Zaghouania 299
Zoopage atractospora 27; *insidians* 21-29; *phanera* 27; *tentaculum* 25, 26
Zygorhynchus heterogamus 514-516, 632